

(Click on Well Log ID to Access Image of Well Strip Log)

MONROE

(Records are Sorted by Township, Range, and Section)

LOG ID: 020065

WELL TYPE Private Well

DRILL DATE:

1961/06/12

TOWNSHIP 53N

RANGE SECTION 29

ELEVATION:

720FT

County Base Map

DRILL DEPTH:

215FT 55FT 8W

UTM X 600,993.09

UTM Y 4,356,477.95

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

FT

S.W.L. (AFTER CASING):

35

LOG ID: 004487

WELL TYPE Private Well

DRILL DATE:

1937/09/01

TOWNSHIP

SECTION RANGE

ELEVATION:

727FT

DRILL DEPTH:

515FT

53N 9W 27

UTM X

UTM Y

DEPTH TO BED:

30FT

595,267.02

4,355,602.96

ZONE 15

S.W.L. (BEFORE CASING):

30

FΤ

REMARKS: SLIGHTLY MINERALIZED WATER

S.W.L. (AFTER CASING):

LOG ID: 018560

WELL TYPE Private Well

DRILL DATE:

1959/09/30

TOWNSHIP RANGE **SECTION**

ELEVATION:

744FT

DRILL DEPTH:

170FT

53N

9W

UTM Y

DEPTH TO BED:

50FT

60

3

UTM X

595,111.09

4,362,689.06

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

1.75 MI N ON HWY Z OFF OF HWY D, 10 MI SE OF PARIS

5

LOG ID:

005173

WELL TYPE Private Well

1938/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

765FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

220FT

50FT

53N

9W

UTM X

UTM Y

591,908.06 4,362,112.05

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 12 MI SE OF PARIS

S.W.L. (AFTER CASING): 65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002468

WELL TYPE Private Well

DRILL DATE: 1931/08/00

TOWNSHIP 53N <u>SECTION</u>

ELEVATION:

771FT

DRILL DEPTH:

210FT

9W

RANGE

UTM X

<u>UTM Y</u>

DEPTH TO BED:

70FT

590,484.03

4,360,716.04

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 020733

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1962/02/01

TOWNSHIP

RANGE SECTION

19

ELEVATION:

792FT

DRILL DEPTH:

503FT

53N 10W

UTM X

UTM Y

DEPTH TO BED:

25FT

579,716.97

4,358,189.99

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

.. . 57

REMARKS:

S.W.L. (AFTER CASING):

178 FT

FT

LOG ID: 013469

WELL TYPE

Oil Well

DRILL DATE:

1954/11/02

TOWNSHIP RANGE

E SECTION

26

ELEVATION:

734FT

DRILL DEPTH:

710FT

53N 10W

<u>UTM X</u> 587,198.93 UTM Y

DEPTH TO BED:

360FT

4,355,087.98

DEI III IO DED.

Г

REMARKS: GEORE BRIGHT (#1 FEE)

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 004160

WELL TYPE

Private Well

DRILL DATE:

1936/00/00

TOWNSHIP

RANGE SECTION

ELEVATION:

767FT

DRILL DEPTH:

145FT

53N

10W 7

.

UTM Y

DEPTH TO BED:

30FT

<u>UTM X</u> 580.772.99

99 4,360,580.01 ZONE 15

S.W.L. (BEFORE CASING):

001 1

REMARKS: ABANDONED

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017805

DRILL DEPTH:

WELL TYPE Private Well

1958/11/28 DRILL DATE:

TOWNSHIP RANGE SECTION 53N 12W 13

ELEVATION: 799FT

DEPTH TO BED: 20FT

UTM X 568,053.00

UTMY 4,359,803.95

ZONE 15

S.W.L. (BEFORE CASING):

78FT

REMARKS:

S.W.L. (AFTER CASING):

25

LOG ID: 011460

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1950/10/06

TOWNSHIP

SECTION RANGE

8

ELEVATION:

800FT

DRILL DEPTH:

170FT

45

53N 12W

UTM X

UTMY

DEPTH TO BED: 5FT 562,747.02

4,360,487.91

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

011481

1950/10/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

661FT

DRILL DEPTH:

170FT

54N

8W

UTM X

UTM Y

DEPTH TO BED:

15FT

608,357.29 4,371,429.28

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

80

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004840

Private Well

DRILL DATE:

1938/05/01

TOWNSHIP

54N

RANGE

SECTION

ELEVATION:

580FT

DRILL DEPTH:

100FT

W8 10

UTM X

604,511.26

UTM Y 4,371,120.25

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

25FT

FT **REMARKS**:

MAY BE MISSLOCATED; FALLS IN LAKE

S.W.L. (AFTER CASING): 30



RANGE

8W

SECTION

10

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028222

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1979/04/11

54N **DRILL DEPTH:** 185FT UTM X

TOWNSHIP

UTMY DEPTH TO BED: 10FT 604,811.26 4,370,377.23

ZONE 15

659FT

ELEVATION:

S.W.L. (BEFORE CASING): ROBERT ALLEN ACCESS - MARK TWAIN RESERVOIR **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

007336 Noncommunity Public Well

DRILL DATE: **TOWNSHIP SECTION** 1940/07/01 **RANGE ELEVATION:** 722FT

54N 8W 16 DRILL DEPTH: 283FT

UTM X UTMY DEPTH TO BED: 40FT 603,858.24 4,369,214.20

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: @ BUZZARD'S ROOST; DRY TO 150'

S.W.L. (AFTER CASING):

LOG ID: 006924

WELL TYPE

Private Well

DRILL DATE: 1941/03/01 **TOWNSHIP RANGE SECTION ELEVATION:** 690FT

54N **8W** 2 **DRILL DEPTH:** 280FT

UTM X UTM Y

DEPTH TO BED: 50FT 607,156.29 4,371,970.28 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 2 MI E OF FLORIDA

70 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 028221

RANGE SECTION DRILL DATE: 1979/04/10 **TOWNSHIP ELEVATION:** 648FT

DRILL DEPTH: 245FT UTM X UTM Y

W8

20

DEPTH TO BED: 10FT 601.542.20 4,367,057.15

ZONE 15 S.W.L. (BEFORE CASING):

54N

CANNAN DAM - SOUTH FORK ACCESS **REMARKS:** S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005632

WELL TYPE

Noncommunity Public Well

30FT

1939/09/01 DRILL DATE:

TOWNSHIP RANGE SECTION 3

ELEVATION:

565FT

DRILL DEPTH:

54N 8W

UTM X

UTMY 4,371,310.25

604,250.26 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012238

Private Well

DRILL DATE:

1952/11/13

TOWNSHIP 54N

SECTION RANGE

ELEVATION:

736FT

DRILL DEPTH:

170FT

8W 35

UTM X

UTMY 4,363,461.09

DEPTH TO BED:

35FT

606,888.21 ZONE 15

S.W.L. (BEFORE CASING):

45

FT

FT

REMARKS: 5.5 MI W OF PERRY

S.W.L. (AFTER CASING):

LOG ID: 005125

WELL TYPE Private Well

1938/11/01

RANGE

SECTION 29

ELEVATION:

671FT

DRILL DATE: DRILL DEPTH:

148FT

54N 9W

4 MI SE OF PARIS

UTM X 590,737.09

ZONE 15

UTM Y 4,366,160.10

DEPTH TO BED:

30FT

65

TOWNSHIP

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

002338

DRILL DATE:

1930/10/01

TOWNSHIP

54N

RANGE

SECTION

ELEVATION:

751FT

DRILL DEPTH:

532FT

9W 34

UTM X

UTM Y

DEPTH TO BED:

430FT

594.722.11

4,364,315.09

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

0.5 MI W OF STROTHER; OLD WELL DEEPENED 430-532'

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002942

WELL TYPE Private Well

1934/09/00 DRILL DATE: **TOWNSHIP RANGE SECTION**

54N 10W **ELEVATION:**

651FT

DRILL DEPTH: 91FT

UTM X

UTMY 4,371,041.13

586,198.11 ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING): 15

35FT

REMARKS:

LOG ID:

DEPTH TO BED:

WELL TYPE Private Well

013003 DRILL DATE:

1954/08/01

TOWNSHIP

SECTION RANGE

11

ELEVATION:

732FT

DRILL DEPTH:

240FT

54N 10W 12

UTM X

DEPTH TO BED:

70FT

UTMY 4,371,035.15

588,796.13 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004833

WELL TYPE

Community Public Well

DRILL DATE:

1938/06/01

TOWNSHIP

RANGE

SECTION 13

ELEVATION:

757FT

DRILL DEPTH:

782FT

54N 10W

UTM X 588,485.10

UTM Y 4,368,497.12

DEPTH TO BED:

70FT

50

FT

ZONE 15 **REMARKS:** DEEPENED 300-782' IN 5-1939 (NO SAMPLES BELOW 300')

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 003457

WELL TYPE

Private Well

DRILL DATE:

1935/08/00

TOWNSHIP 54N

RANGE

SECTION

ELEVATION:

774FT

DRILL DEPTH:

DEPTH TO BED:

195FT 110FT 10W 15

UTM X

584,571.08

UTM Y 4,369,214.10

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 FRED TRUMBULL, TENANT

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002914

DRILL DEPTH:

WELL TYPE Private Well

1934/08/00 DRILL DATE:

105FT

DEPTH TO BED: 15FT

TOWNSHIP RANGE SECTION 54N 10W 2

ELEVATION:

694FT

UTM X 586,842.12

UTMY 4,371,633.14

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

"ABUNDANT WATER" **REMARKS**:

LOG ID: 004146

WELL TYPE Private Well

DRILL DATE:

1936/09/23

TOWNSHIP

RANGE

SECTION

ELEVATION:

727FT

DRILL DEPTH:

124FT

54N 10W 31

UTM X

UTMY

DEPTH TO BED: 72FT 579,373.02

4,364,372.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL DEEPENED 72-124'

S.W.L. (AFTER CASING):

84

LOG ID: 003753

WELL TYPE Private Well

DRILL DATE:

1936/08/29

TOWNSHIP 54N

RANGE SECTION **ELEVATION:**

792FT

DRILL DEPTH:

DEPTH TO BED:

250FT

245FT

11W 17

UTM X

UTM Y

571,358.02 4,368,168.02 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

70

FT

REMARKS:

OLD WELL DEEPENED 40-250', ONE SAMPLE LOGGED, TOPS

3

ONLY

LOG ID:

WELL TYPE Private Well

002617

DRILL DATE:

DEPTH TO BED:

1932/08/01

TOWNSHIP

SECTION RANGE

790FT

DRILL DEPTH:

180FT 60FT

54N 11W

UTM X

ELEVATION:

UTM Y

575,503.06 4,372,214.07 ZONE 15

S.W.L. (BEFORE CASING):

NEAR HOLLIDAY REMARKS:

S.W.L. (AFTER CASING):



RANGE

RANGE

RANGE

12W

12W

BARN @ MADISON

SECTION

12

SECTION

14

SECTION

14

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

568,293.01

ELEVATION:

UTM X

567,834.01

ELEVATION:

UTM X

567,634.01

ZONE 15

ZONE 15

ZONE 15

791FT

UTMY

4,369,796.01

797FT

UTMY

4,369,485.00

796FT

UTM Y

4,369,283.00

799FT

LOG ID: 018561

WELL TYPE

Noncommunity Public Well

1959/00/00 DRILL DATE:

54N 12W 555FT

TOWNSHIP

TOWNSHIP

54N

DRILL DEPTH: DEPTH TO BED: 135FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

REMARKS:

160

LOG ID:

WELL TYPE

019293 Community Public Well

DRILL DATE: 1960/10/01

DRILL DEPTH: 680FT

DEPTH TO BED:

S.W.L. (BEFORE CASING): 132

S.W.L. (AFTER CASING):

REMARKS: FT

LOG ID: 026306

WELL TYPE

Community Public Well

DRILL DATE: 1969/08/01

DRILL DEPTH: 675FT

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING): 675

S.W.L. (AFTER CASING):

FT

FT

40

REMARKS:

REMARKS: POSSIBLE DRY HOLE

TOWNSHIP

54N

LOG ID: 003882

WELL TYPE Private Well

1936/09/11 **DRILL DATE:**

DRILL DEPTH: 180FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

RANGE SECTION TOWNSHIP

54N

12W 33

UTM X UTM Y 4,363,792.95

564,344.00

ELEVATION:

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006106

DRILL DEPTH:

WELL TYPE Private Well

1940/08/01 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 55N 7W 18 340FT

UTM X **UTMY** DEPTH TO BED: 90FT

610,421.30 4,378,305.47

680FT

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

DRY HOLE TO 176, DEEPENED TO 340' **REMARKS**: 85

LOG ID: 006305

WELL TYPE Private Well

1940/06/01 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 700FT

55N 18 7W DRILL DEPTH: 107FT

UTM X UTMY DEPTH TO BED: 55FT 610,321.30 4,378,413.48

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: DRY HOLE

S.W.L. (AFTER CASING):

LOG ID: 015416

WELL TYPE Private Well

DRILL DATE: 1956/09/19 **TOWNSHIP RANGE SECTION ELEVATION:** 738FT

55N **8W** 5 **DRILL DEPTH:** 130FT

REMARKS:

UTM X UTM Y

DEPTH TO BED: 601,159.24 4,381,472.47

ZONE 15

9 MI SW OF MONROE CITY; LONG 1 X 2 MI SECTION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 015432

WELL TYPE Private Well

1956/09/19 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 739FT

55N W8 5 **DRILL DEPTH:** 220FT

UTM X UTM Y DEPTH TO BED: 105FT 601.759.24 4,381,472.47

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007320

WELL TYPE Private Well

1941/06/01 DRILL DATE:

TOWNSHIP 55N

RANGE SECTION 13

ELEVATION:

703FT

UTMY

4,378,436.37

DRILL DEPTH:

220FT

9W

UTM X

DEPTH TO BED:

70FT

598,197.22

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: ON HILL AT EDGE OF STOUTSVILLE

S.W.L. (AFTER CASING): 60

LOG ID: 004740

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1938/04/01

TOWNSHIP

SECTION RANGE

ELEVATION:

715FT

DRILL DEPTH:

300FT

55N 9W

> **UTM X** 590,848.16

UTMY 4,377,618.28

DEPTH TO BED:

145FT

60

REMARKS:

REMARKS:

REMARKS:

OLD WELL DEEPENED 145-300'; 6 MI NE OF PARIS

17

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 013533

WELL TYPE Oil Well

1955/05/01

TOWNSHIP

RANGE SECTION 36

ELLIOT KEY - DRY & ABANDONED

ELEVATION:

598,600.23

718FT

DRILL DATE: DRILL DEPTH:

905FT

55N 9W

UTM X

DEPTH TO BED:

30FT

UTM Y 4,372,765.24

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002352

Private Well

DRILL DATE:

1930/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

712FT

DRILL DEPTH:

2/27/2007

DEPTH TO BED:

150FT

150FT

55N

10W 25 UTM X

588.385.14

UTM Y

3,745

4,375,133.21

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002443

WELL TYPE Private Well

1931/00/00 DRILL DATE:

55N

RANGE SECTION 9

ELEVATION:

732FT

DRILL DEPTH:

150FT

10W

UTM X

UTMY 4,379,950.27

TOWNSHIP

DEPTH TO BED: 3FT 583,584.09

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 013979

WELL TYPE Private Well

DRILL DATE:

1955/00/00

TOWNSHIP

SECTION RANGE

ELEVATION:

787FT

DRILL DEPTH:

280FT

55N 11W

> UTM X 578,617.04

UTMY 4,380,309.24

DEPTH TO BED:

150FT

12

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

OLD WELL DEEPENED 150-280' - SEE LOG #16114 FOR

COMPLETE LOG

LOG ID: 016114

WELL TYPE Private Well

DRILL DATE:

1955/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

787FT

DRILL DEPTH:

280FT

55N 11W

UTM X

UTM Y

DEPTH TO BED:

150FT

578,617.04 4,380,309.24

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

OLD WELL #13979 DEEPENED 150-280'; @ HOLIDAY; LONG 1 X 2

16

12

MI SECTION

LOG ID:

WELL TYPE

018912

Private Well

DRILL DATE:

1960/03/18

TOWNSHIP

RANGE SECTION **ELEVATION:**

774FT

DRILL DEPTH:

210FT

55N

11W

UTM X

DEPTH TO BED:

70FT

573.715.01

UTM Y 4,379,246.18

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

N OF HOLIDAY



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004145

WELL TYPE Private Well

1936/10/05 DRILL DATE:

TOWNSHIP 55N

RANGE SECTION **ELEVATION:**

719FT

DRILL DEPTH:

115FT

11W 22

UTM X

UTMY

DEPTH TO BED:

15FT

100

575,108.03

4,376,931.15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: 3 MI N OF HOLIDAY

S.W.L. (AFTER CASING):

LOG ID: 007137

WELL TYPE Private Well

DRILL DATE:

1940/08/30

TOWNSHIP 56N

SECTION RANGE

ELEVATION:

740FT

DRILL DEPTH:

245FT

8W

17

UTM X

ZONE 15

602,028.23

UTMY 4,390,398.70

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

65FT

40

REMARKS:

2.5 MI E OF HUNNEWELL, 0.25 MI S OF HWY, JUST ACROSS RR

TRACKS

LOG ID:

WELL TYPE

005384

Private Well

DRILL DATE:

1939/00/00

TOWNSHIP

RANGE

ELEVATION:

738FT

DRILL DEPTH:

131FT

56N **8W**

> UTM X 606,464.27

UTM Y

DEPTH TO BED:

75FT

4,387,153.67

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

40

REMARKS:

LOG ID:

WELL TYPE

028889

DRILL DATE:

1957/06/01

TOWNSHIP

RANGE

SECTION

SECTION

26

ELEVATION:

653FT

DRILL DEPTH:

56N 9W 17

UTM X 591.649.15

UTM Y 4,389,698.55

DEPTH TO BED:

Oil & Gas Test - Dry - - - - CAUTION !!! - Log #19988 was also

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

assigned to Clyde Buckman Well #1 in Monroe County Sec. 17, T56N,



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020942

WELL TYPE Private Well

DRILL DATE: 1960/06/24 **TOWNSHIP RANGE SECTION ELEVATION:** 755FT

> 56N 9W 24 175FT

DRILL DEPTH: <u>UTM X</u> **UTMY DEPTH TO BED:** 90FT

597,429.20 4,387,564.57

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2.5 MI S OF HUNNEWELL

S.W.L. (AFTER CASING): 60

LOG ID: 022696

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 694FT

56N 9W 33 DRILL DEPTH: 195FT

UTM X UTM Y DEPTH TO BED: 30FT 593,359.17 4,384,946.47

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS: #1 CROW S.W.L. (AFTER CASING):

MONROE